

## V-997 SERIES

### REUSABLE FULL FACE MASKS WITH UNIVERSAL CONNECTION RD40

V-997 series reusable full face masks are available with TPE or Silicone face seal. They are characterized by the high protection factor provided when used in combination with standard threaded filters EN148-1 (V-7000 series) which protect against gas/vapors and toxic particulates.



#### **UNIVERSAL CONNECTION**

Standard thread connection according to EN 148-1, universal among all respiratory protection devices.

#### **GLASS VISOR**

It is a safety glass laminated with CHC or CHC AF which holds the pieces together if shattered. It gives a strong resi-stance

#### **ANTI-FOG SYSTEM**

Designed to avoid fogging on the visor through the control of the cold and hot air flows inside the mask instead of using surface treatments that can be easily spoiled.



**FACE SEAL**Available in TPE OR Silicone for a higher safety.

TDS-V-997 P 1/3



## V-997 SERIES

## REUSABLE FULL FACE MASKS WITH UNIVERSAL CONNECTION RD40

#### **MATERIALS**

FACE SEAL TPE or Silicone
VISOR Polycarbonate (PC)

FILTER HOLDER Acrylonitrile Butadiene Styrene (ABS)

HARNESS TPE HEAD PIECE TPE

All components in direct contact with user's face are LATEX FREE

#### **TECHNICAL DATA**

MODEL	FACE SEAL	VISOR	DEVICE CLASS	CONNECTION	NPF (particle and combined filter)	NPF (gas filter)
V-997	TPE	Polycarbonate	1	EN148-1 (Universal)	1000*TLV (P3)	2000*TLV
V-997	Silicone	Polycarbonate	1	EN148-1 (Universal)	1000*TLV (P3)	2000*TLV

(TLV) Threshold Limit Value (NPF) Nominal Protection Factor

#### **TRANSPORT**

MODEL	CODE	WEIGHT (g)	Q.TY/BOX	Q.TY/CARTON	WEIGHT CARTON (Kg)
V-997 SILICON FFM QUADRABELT	110529401-00	530	1	5	2,90
V-997 TPE FFM QUADRABELT	110529301-00	530	1	5	2.90

#### **STORAGE**

SHELF-LIFE 5 years
TEMPERATURE -10°C/+70°C
RELATIVE HUMIDITY 80% max

#### **CERTIFICATION**

Venus full face masks are:

- Certified BIS
- IS15322, IS 15323


Venus management system is ISO 9001 certified.

TDS-V-997 P 2/3



# V-997 SERIES

## REUSABLE FULL FACE MASKS WITH UNIVERSAL CONNECTION RD40



### VENUS Gas filters in standard connection suitable for VENUS Full Face Masks and PAPR's.



FILTER	COLOUR CODE	HAZARD TYPE	TEST GASES	MAXIMUM USER LEVEL
VENUS V-7700 A2 Filter Item # 17014		Organic Vapour (OV)	Carbon Tetrachloride (CCI <sub>a</sub> )	5000 ppm or 2000 X OEL whichever is lower
VENUS V-7700		Inorganic Gas (IO)	Chlorine (CL <sub>2</sub> ) Hydrogen Sulphide (H,S)	5000 ppm or 2000 X OEL whichever is lower
VENUS V-7700 E2 Filter Item # 17011 YELLOW		Acid Gas (AC)	Sulphur Dioxide (SO <sub>2</sub> )	5000 ppm or 2000 X OEL whichever is lower
VENUS V-7700 K2 Filter Item # 17012		Ammonia (AM) & derivatives	Ammonia (NH.)	5000 ppm or 2000 X OEL whichever is lower
VENUS V-7700 ABEK2 Filter Item # 17037		Multigas (OV/IO/AC/AM)	Carbon Tetrachloride (CCI <sub>4</sub> ) Chlorine (CI <sub>2</sub> ) Hydrogen Sulphide (H <sub>2</sub> S) Sulphur Dioxide (SO <sub>2</sub> ) Ammonia (NH <sub>4</sub> )	5000 ppm or 2000 X OEL whichever is lower
VENUS V-7700 A2 P3 Filter Item # 17144		Combined Filter OV + Particle Filter P3	Carbon Tetrachloride (CCI <sub>4</sub> ) Solid & liquid particles	5000 ppm or 2000 X OEL whichever is lower
VENUS V-7700 ABEK2 P3 Filter Item # 17143		Combined Multigas Filter (OV/IO/AC/AM) + Particle Filter P3	Carbon Tetrachloride (CCI,) Chilorine (CI,) Hydrogen Sulphide (H,S) Sulphur Dioxide (SO,) Ammonia (NH,)	5000 ppm or 2000 X OEL whichever is lower
VENUS V-7700 P3 Hepa Filter Item # 17179		Particle Filter P3	Non highly volatile Solid & liquid particles	1000 X OEL

TDS-V-997 P 3/3